

Aava


Design by Antti Kotilainen, 2013

Art. 3908 3920

Chair with steel sled base and curved plywood shell birchwood effect, natural or stained in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Wood



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava

Design by Antti Kotilainen, 2013



Single trolley Art. 0500



Link Art. 3941

SHIPMENT DETAILS

Art.3908

1 pz = 2 - kg 11,46/ m² 0,3

4 pz = 2 - kg 31,14/ m² 0,37

1 pz = 1 - kg 3/ m² 0,04

4 pz = 1 - kg 8/ m² 0,04

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6. 4
- EN 1022:05

- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 5

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.3920

Chair base finishes: 1200 or use only
H 140 cm. COM Meterage ml 0.99

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013
Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft
leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather
Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut
Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia •
BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1
Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft
leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2
Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2013

Art. 3909 3920

Chair with steel sled base, armrests and curved plywood shell and natural beechwood veneered birchwood effect, natural or stained in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Wood



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava

Design by Antti Kotilainen, 2013



Single trolley Art. 0500



Link Art. 3941

SHIPMENT DETAILS

Art.3909

1 pz = 2 - kg 12,74/ m³ 0,43

4 pz = 2 - kg 33,86/ m³ 0,49

1 pz = 1 - kg 3/ m³ 0,04

4 pz = 1 - kg 8/ m³ 0,04

TECHNICAL SPECIFICATIONS

Art.3920

Chair base finishes: 1 or use only

H 140 cm. COM Meterage ml 0.99

RESISTANCE TEST

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013
Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft
leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather
Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut
Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia •
BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1
Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft
leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2
Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2014

Art. 3936

Chair with steel sled base and curved plywood shell, veneered natural beechwood or natural birchwood effect or lacquered birchwood effect in 4 different colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2014

Accessories:



Single trolley Art. 0500




Link Art. 3941




Stacking protection Pad Art. 3942

SHIPMENT DETAILS

Art.3936

1 pz = 2  - kg 11,46/ m² 0,3

4 pz = 2  - kg 31,14/ m² 0,37

TECHNICAL SPECIFICATIONS

Art.3936

COL requirement m² 0.78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2014

Art. 3937

Chair with steel sled base, armrests and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2014

Accessories:



Single trolley Art. 0500



Link Art. 3941



Stacking protection Pad Art. 3942

SHIPMENT DETAILS

Art.3937

1 pz = 2 - kg 12,74/ m² 0,43

4 pz = 2 - kg 33,86/ m² 0,49

TECHNICAL SPECIFICATIONS

Art.3937

COL requirement m² 0.78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3945

Chair with steel sled base and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:




Single trolley Art. 0500




Link Art. 3970

SHIPMENT DETAILS

Art.3945

1 pz = 2  - kg 7,95/ m² 0,22

4 pz = 2  - kg 25,80/ m² 0,27

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.4
- ANSI/BIFMA X5.1-2011/11
- ANSI/BIFMA X5.1-2011/16
- ANSI/BIFMA X5.1-2011/6
- EN 1022:05
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6.5
- ANSI/BIFMA X5.1-2011/12
- ANSI/BIFMA X5.1-2011/18
- ANSI/BIFMA X5.1-2011/8

ENVIRONMENTAL CERTIFICATIONS

TECHNICAL SPECIFICATIONS

Art.3945

Frame base finishes: indoor use only (contact us for outdoor finishes)

FIRE RETARDANT TEST

Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With trolley: up to 20 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3946

Chair with steel sled base with armrests and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:




Single trolley Art. 0500




Link Art. 3970

SHIPMENT DETAILS

Art.3946

1 pz = 2  - kg 10,63/ m³ 0,39

4 pz = 2  - kg 30/ m³ 0,47

TECHNICAL SPECIFICATIONS

Art.3946

Frame base finishes: indoor use only (contact us for outdoor finishes)

Stackability:

– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3953

Chair with sled base and shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500



Stacking protection Pad Art. 3950



Link Art. 3970

SHIPMENT DETAILS

Art.3953

1 pz = 2 - kg 9,71/ m² 0,28

4 pz = 2 - kg 30,5/ m² 0,304

TECHNICAL SPECIFICATIONS

Art.3953

COL requirement m² 1,56

H 140 cm. COM Meterage ml 0.99

RESISTANCE TEST

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3954

Chair with sled base and armrests, with shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

SergeFerrari

Aava


Design by Antti Kotilainen, 2013

Art. 3964

Chair with steel sled base and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Polypropylene



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava

Design by Antti Kotilainen, 2013

Accessories:



Single trolley Art. 0500



Link Art. 3941




Stacking protection Pad Art. 3950




Link Art. 3970

SHIPMENT DETAILS

Art.3964

1 pz = 2  - kg 9,71/ m² 0,28

4 pz = 2  - kg 34,1/ m² 0,304

TECHNICAL SPECIFICATIONS

Art.3964

COL requirement m² 0.78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3965

Chair with steel sled base with armrests and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Polypropylene



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500




Stacking protection Pad Art. 3950




Link Art. 3970

SHIPMENT DETAILS

Art.3965

1 pz = 2  - kg 12,39/ m² 0,49

4 pz = 2  - kg 38,28/ m² 0,518

TECHNICAL SPECIFICATIONS

Art.3965

COL requirement m² 0.78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3981

Chair with steel sled base and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2016

Accessories:




Link Art. 3941




Stacking protection Pad Art.
3942

SHIPMENT DETAILS

Art.3981

1 pz = 2  - kg 10,9/ m² 0,305

4 pz = 2  - kg 29,76/ m² 0,372

TECHNICAL SPECIFICATIONS

Art.3981

COL requirement m² 0.36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3982

Chair with steel sled base and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Polypropylene



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2016

Accessories:




Stacking protection Pad Art.
3950




Link Art. 3970

SHIPMENT DETAILS

Art.3982

1 pz = 2  - kg 8,9/ m² 0,279

4 pz = 2  - kg 31,3/ m² 0,304

TECHNICAL SPECIFICATIONS

Art.3982

COL requirement m² 0.36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3984

Chair with steel sled base, armrests and curved plywood shell, veneered natural beechwood or natural birchwood effect or lacquered birchwood effect in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2016

Accessories:



Link Art. 3941




Stacking protection Pad Art.
3942

SHIPMENT DETAILS

Art.3984

1 pz = 2  - kg 12,18/ m² 0,433

4 pz = 2  - kg 32,48/ m² 0,493

TECHNICAL SPECIFICATIONS

Art.3984

COL requirement m² 0.36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3985

Chair with steel sled base with armrests and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Polypropylene



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Aava

Design by Antti Kotilainen, 2016

Accessories:



Single trolley Art. 0500



Stacking protection Pad Art. 3950




Link Art. 3970

SHIPMENT DETAILS

Art.3985

1 pz = 2  - kg 11,58/ m² 0,433

4 pz = 2  - kg 35,48/ m² 0,518

TECHNICAL SPECIFICATIONS

Art.3985

COL requirement m² 0.36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com